

IN THE CLAIMS

Cancel claims 1-11, 21-23, 26, and 29.

The status of the claims in the case is as follows:

1-11. [Canceled]

1 12. [Original] A system of resources for defining a
2 subscription in a workflow, enterprise and mail-enabled
3 application server, comprising:

4 guidelines and best practices instructions files for
5 defining customization varieties and aesthetic controls
6 of a subscription design;

7 a resource library of web design elements for developer
8 inclusion into a template file for administrator
9 definition in an offline configuration document of a
10 client download page experience and synchronization
11 control experience.

1 13. [Original] The system of claim 12, said design
2 elements being Java status script and forms, and said

3 inclusion being accomplished by copy and paste.

1 14. [Original] A system of administrator tools for
2 defining a subscription in a workflow, enterprise and mail-
3 enabled application server, comprising:

4 a developer defined template file of design elements
5 initializing design of said subscription;

6 a server side user interface responsive to said
7 template file for defining an offline configuration
8 document for said subscription; and

9 a server side user interface responsive to said
10 template file for defining offline security for said
11 subscription.

1 15. [Original] The system of claim 14, said offline
2 configuration document further comprising tabbed pages for
3 presenting defaults of properties for client subscriptions.

1 16. [Original] The system of claim 15, said tabbed pages
2 including a basic page, a services page, a schedules page, a
3 rules page, and a download page field.

1 17. [Original] The system of claim 16, said tabbed pages
2 providing for administrator selection services to install
3 offline, custom services to install offline, synchronization
4 schedule, frequency , limitations and exceptions, and
5 synchronization rules.

1 18. [Original] The system of claim 17, said
2 synchronization rules selectively defining file rules, date
3 filtering synchronization options, halt conditions
4 synchronization options, and synchronization optional
5 actions.

1 19. [Original] The system of 14, said offline security for
2 said subscription being configured by a security policy form
3 presenting for administrator selection security domain
4 definition and ID deployment policy.

1 20. [Original] The system of claim 19, said ID deployment
2 policy including selection options for prompt, auto
3 generate, and directory lookup deployment of IDs.

21. [Canceled]

22. [Canceled]

23. [Canceled]

1 24. [Original] A method for defining a subscription in a
2 workflow, enterprise and mail-enabled application server,
3 comprising:

4 providing guidelines and best practices instructions
5 files for defining customization varieties and
6 aesthetic controls of a subscription design; and

7 providing a resource library of web design elements for
8 developer inclusion into a template file for
9 administrator definition in an offline configuration
10 document of a client download page experience and
11 synchronization control experience.

1 25. [Original] A method for defining a subscription in a
2 workflow, enterprise and mail-enabled application server,
3 comprising:

4 displaying a developer defined template file of design
5 elements initializing design of said subscription;

6 responsive to said template file, defining an offline
7 configuration document for said subscription; and

8 responsive to said template file, defining offline
9 security for said subscription.

1 26. [Canceled]

2 27. [Original] A program storage device readable by a
3 machine, tangibly embodying a program of instructions
4 executable by a machine to perform method steps for defining
5 a subscription in a workflow, enterprise and mail-enabled
6 application server, said method steps comprising:

7 providing guidelines and best practices instructions
8 files for defining customization varieties and
9 aesthetic controls of a subscription design; and

10 providing a resource library of web design elements for
11 developer inclusion into a template file for
12 administrator definition in an offline configuration
13 document of a client download page experience and
14 synchronization control experience.

1 28. [Currently amended] A program storage device readable
2 by a machine, tangibly embodying a program of instructions
3 executable by a machine to perform ~~method steps~~ operations
4 for defining a subscription in a workflow, enterprise and
5 mail-enabled application server, said ~~method steps~~
6 operations comprising:

7 displaying a developer defined template file of design
8 elements initializing design of said subscription;

9 responsive to said template file, defining an offline
10 configuration document for said subscription; and

11 responsive to said template file, defining offline
12 security for said subscription.

1 29. [Canceled]

2 30. [Original] A computer program product configured to be
3 operable for defining a subscription in a workflow,
4 enterprise and mail-enabled application server, according to
5 the steps of:

6 providing guidelines and best practices instructions

7 files for defining customization varieties and
8 aesthetic controls of a subscription design; and

9 providing a resource library of web design elements for
10 developer inclusion into a template file for
11 administrator definition in an offline configuration
12 document of a client download page experience and
13 synchronization control experience.

1 31. [Original] A computer program product configured to be
2 operable for defining a subscription in a workflow,
3 enterprise and mail-enabled application server, according to
4 the steps of:

5 displaying a developer defined template file of design
6 elements initializing design of said subscription;

7 responsive to said template file, defining an offline
8 configuration document for said subscription; and

9 responsive to said template file, defining offline
10 security for said subscription.

1 32. [New] The method of claim 25, said subscriptions
2 providing a logical grouping of data, application
3 implementations, and application-instance security context
4 and off-line subscriptions containing client-side runtime
5 and framework for a fully functioning offline server.

6 33. [New] The method of claim 32, said offline
7 configuration document further comprising tabbed pages for
8 presenting defaults of properties for client subscriptions.

1 34. [New] The method of claim 33, said tabbed pages
2 including a basic page, a services page, a schedules page, a
3 rules page, and a download page field.

1 35. [New] The method of claim 34, said tabbed pages
2 providing for administrator selection services to install
3 offline, custom services to install offline, synchronization
4 schedule, frequency , limitations and exceptions, and
5 synchronization rules.

1 36. [New] The method of claim 35, said synchronization
2 rules selectively defining file rules, date filtering
3 synchronization options, halt conditions synchronization
4 options, and synchronization optional actions.

1 37. [New] The method of claim 32, said offline security
2 for said subscription being configured by a security policy
3 form presenting for administrator selection security domain
4 definition and ID deployment policy.

1 38. [New] The method of claim 37, said ID deployment
2 policy including selection options for prompt, auto
3 generate, and directory lookup deployment of IDs.

1 39. [New] The program storage device of claim 28, said
2 operations further comprising defining said subscriptions as
3 a logical grouping of data, application implementations, and
4 application-instance security context and defining off-line
5 subscriptions as containing client-side runtime and
6 framework for a fully functioning offline server.

1 40. [New] The program storage device of claim 39, said
2 operations further comprising defining said offline
3 configuration document as including tabbed pages for
4 presenting defaults of properties for client subscriptions.

1 41. [New] The program storage device of claim 40, said

2 operations further comprising defining said tabbed pages as
3 including a basic page, a services page, a schedules page, a
4 rules page, and a download page field.

1 42. [New] The program storage device of claim 41, said
2 operations further comprising defining tabbed pages for
3 providing for administrator selection services to install
4 offline, custom services to install offline, synchronization
5 schedule, frequency , limitations and exceptions, and
6 synchronization rules.

1 43. [New] The program storage device of claim 42, said
2 operations further comprising defining synchronization rules
3 selectively for defining file rules, date filtering
4 synchronization options, halt conditions synchronization
5 options, and synchronization optional actions.

1 44. [New] The program storage device of claim 39, said
2 operations further comprising configuring said offline
3 security for said subscription by a security policy form
4 presenting for administrator selection security domain
5 definition and ID deployment policy.

1 45. [New] The program storage device of claim 44, said
2 operations further comprising defining ID deployment policy
3 including selection options for prompt, auto generate, and
4 directory lookup deployment of IDs.